


Outdoor 55" Floor-standing LCD Kiosk

KEY FEATURE	PICTURE
<p>A+ LCD panel FHD 1920x1080 7*24 Hour working uninterrupted</p> <p>Energy-saving LED backlight (1000-3000 Lumens) Weather-proof, Sun-readable, Auto-sensor Anti-dust, anti-thunder, anti-vandalism(Locks&Key), Anti-radiation, Anti-electromagnetic Protective: AR 6mm tempered glass</p> <p>Optional:</p> <ol style="list-style-type: none"> 1. Player alone / Network 2. Fan-cooling≤IP55 / Air-conditioning≥IP65 3. Touch Screen, PC built-in, Android 4. Grey, White, Black...Customizable 	

Spec Parameter Table:


Digital Signage Size		55"
Model Number		HW550LD-F
PANELS	Panel Type	Original LG A+ LCD Panel 55 inch
	View Area	1209.6×680.4mm(W*H)
	Show Ratio	16:9
	Backlight	Patented LED module + Constant power components
	Resolution	1920x1080 Max to 3140x2160 UHD
	Show Color	16.7M
	Brightness	1500 – 3000 nits Sun-readable
	Contrast Ratio	1400:1
	Visual Angle	178°(H) / 178°(V)
	Response Time	≤ 5ms
	S-System	PAL / NTSC / SECAM
Life Expectance	60000 Hours	
Environment	Work Temp	-30°C to 55°C
	Storage Temp	-35°C to 60°C
	Work Humidity	10% to 90%
	Storage Humidity	10% to 90%
	Heat-control	Industrial Fan-cooling Air-conditioning
	Protective Glass	AR 6-8mm Laminated and Tempered glass
	Protective Level	IP55 IP65

HARDWARE	Speaker	2*10W Stereo
	Control Interface	USB, SD Card, HDMI, VGA, DVI, RJ-45, WIFI, 3G
	Support Project	Player Alone, Network, Touch Screen
	Dimension	848*255*2100 MM or Customized
	Whole Color	Silver / Grey / White / Black or Customized
	Shell Material	cold-rolling metal plate + Special outdoor powder paint
	Certificates	ISO9001/CCC/CE /FCC/RoHS/IP65
	N.W / G.W	To be confirmed
	Accessories	Remote Control, AC Power Cord, Key, Rack, Instruction, Approval Certificate, Warranty Card
FUNCTIONS	Video Format	MP4,3GP,MPG,AVI,WMV,FLV,SWF,RMVB,MKV,VOB
	Audio Format	MP3,WMA,AMR,OGG,AAC,WAV,FLAC,APE
	Image Format	JPG,BMP,PNG,TIF,ICO,GIF,TGA
	Play Mode	Horizontal, Vertical, Full Screen, Split Screen
	Log Management	Supportive to terminal log and playlist log
	Power Mode	Time-setting On or Off Manual
POWER	Voltage	AC 100V - 240V
	Consumption	700W – 1500W (Due to the heat-control system)
	Standby	≤ 3W

Projects Demo:



Illumination Drawing (REFERENCE Only):



Depth could be various depending on the Heat-control equipment.

DECLARE:

All pictures here are for reference. Precision are standardized to physical products. Final explanation belongs to Shenzhen SUNTUNE Technology Co., Ltd.